**Table 1**. Selected perennials that lend themselves to container gardening.

|                |        |                    |                    | Exposure |               |     |  |
|----------------|--------|--------------------|--------------------|----------|---------------|-----|--|
| Common Name    | Height | Color <sup>1</sup> | Bloom <sup>2</sup> | Shade    | Partial Shade | Sun | Additional Notes   |
| Achillea       | 2-4'   | W,P,Y,G            | Su                 |          |               | *   | aromatic foliage; drought-tolerant   |
| ۸.             | 0.0"   |                    |                    | *        | *             | *   | evergreen groundcover; tolerates more sun providede adequate moisture;           |
| Ajuga          | 2-3"   | B,W,P              | Sp                 |          | ^             | _ ^ | cultivars available with variagated or bronze foliage                            |
| Alyssum        | 9-12"  | Υ                  | SP                 |          |               | *   | suitable for container's edge  |
| A              | 4 0    |                    |                    |          | <b>.</b>      | *   | aromatic foliage; 'Silver Mound' and 'Silver King' cultivars have silver-gray    |
| Artemisia      | 1-3'   |                    |                    |          | ^             | _ ^ | foliage, the color 'brings' all surrounding plants together; drought-tolerant    |
| Asclepias      | 1-2'   | 0                  | Su                 |          |               | *   | native; drought-tolerant; foliage is food for Monarch butterfly caterpillars     |
| Aster          | 1-5'   | all                | Su+/F              |          |               | *   | many cultivars, some very vigorous   |
| Astilbe        | 1-3'   | W,P,R              | SP                 | *        | *             |     | many colors available; attractive fern-lke foliage; best grown in shade          |
| Dontinio       | 3'     | D                  | SP                 |          | *             | *   | Baptisia tinctoria (yellow baptisia) is smaller than B. australis (blue indigo); |
| Baptisia       | 3      | В                  | 35                 |          |               |     | drought-tolerant   |
| Candytuft      | 12"    | W                  | SP                 |          | *             | *   | Iberis sempervirens is perennial species; suitable for container's edge          |
| Caryopteris    | 3-4'   | В                  | Su+                |          |               | *   | drought-tolerant; attracts butterflies   |
| Centaurea      | 12"    | В                  | -Su                |          | *             | *   | Centaurea montana is perennial species   |
| Ceratostigma   | 2-3'   | В                  | Su+                |          |               | *   | groundcover; the deepest blue-colored blooms; vigorous growth habit              |
| Chrysanthemum  | 1-3'   | -B                 | Su/F               |          |               | *   | not all variaties are cold-hardy; taller varieties require staking               |
| Columbine      | 2-3'   | W,P,B,Y            | SP                 |          | *             |     | Foliage declines in heat   |
| Coroonoio      | 1-3'   | Y,G                | Su                 |          |               | *   | Coreopsis grandiflora, C. lanceolata, and C. verticillata (threadleaf            |
| Coreopsis      | 1-3    | 1,0                | Su                 |          |               |     | coreopsis); drought-tolerant and easy to grow; attractive to butterflies         |
| Dianthus       | 12"    | P,W,R,Y            | SP/Su              |          |               | *   | gray foliage is attractive and evergreen   |
| Dicentra       | 1-3'   | W,P                | SP+/Su             | *        | *             |     | fine-textured foliage; D. exima (wild bleeding heart) is native to Georgia       |
| Foxglove       | 2-6'   | W,P,Y,L            | SP+                |          | *             | *   | Digitalis X mertonensis and D. lutea are perennials                              |
| Gaillardia     | 1-2½'  | Y,R,O              | Su/F               |          |               | *   | drought-tolerant; attractive to butterflies                                      |
| Gaura          | 2-3'   | W, P               | Su-                |          |               | *   | wispy flower spikes; drought-tolerant  |
| Goldenrod      | 1-3'   | G                  | Su+/F              |          |               | *   | easy to grow; foliage sustains caterpillars of numerous butterfly species        |
| Hardy Ageratum | 1-2'   | B,W                | F                  |          | *             | *   | vigorous growth habit  |
|                |        |                    |                    |          |               |     | Hellebores niger (Christmas rose) blooms November to early spring;               |
| Helleborus     | 12-15" | W,P,L              | W/SP               | *        | *             |     | coarse-textured foliage; H. orientalis (Lenten rose) flowers in mid- to late     |
|                |        |                    |                    |          |               |     | spring   |
| Hemerocallis   | 1-4'   | -B                 | Su                 |          | *             | *   | numerous cultivars available; 'Stella d'Oro' is the earliest-blooming one        |
| Heuchera       | 6-12"  | W,P,R              | SP/-Su             | *        | *             | *   | numerous foliage colors available  |
| Hosta          | 1-3'   |                    |                    | *        | *             |     | Foliage colors range from yellow-green to dark green to blue-green; many         |
| Tiosta         | 1-3    |                    |                    |          |               |     | variegated varieties are also available  |
|                |        |                    |                    |          |               |     | Iris hybrids (bearded iris), I. siberica (siberian iris), and I. kaempferi       |
| Iris           | 2-4'   | all                | SP/-Su             |          | *             | *   | (japanese iris), bloom in this order; I. tectorum (japanese roof iris) is a      |
|                |        |                    |                    |          |               |     | durable plant  |
| Liatris        | 2-6'   | L,P                | Su/F               |          | *             | *   | Liatris scariosa (tall gayfeather), L. pycnostachya (Kansas gayfeather), L.      |
| Liauis         | 2-0    | <u>∟,</u> г        | Gu/I               |          |               |     | spicata; heat-tolerant   |
| Liriope        | 1-2'   |                    |                    | *        | *             | *   | Liriope muscari (bordergrass), L. spicata (creeping lilyturf); evergreen;        |
| ·              |        |                    |                    |          |               |     | variegated forms with attractive foliage; flowers spikes also attractive         |
| Lobelia        | 2-3'   | R,B                | Su+                |          | *             |     | Lobelia cardinalis (cardinal flower) has striking scarlet blooms                 |

**Table 1**. Selected perennials that lend themselves to container gardening.

| Common Name       | Height | Color <sup>1</sup> | Bloom <sup>2</sup> | Exposure |               |     |  |  |  |
|-------------------|--------|--------------------|--------------------|----------|---------------|-----|--|--|--|
|                   |        |                    |                    | Shade    | Partial Shade | Sun | Additional Notes   |  |  |
| Monarda           | 2-3'   | W,R,P              | SP+/Su             |          |               | *   | drought-tolerant; aromatic foliage; attractive to butterflies  |  |  |
| Ophiopogon        | 1/2-2' |                    |                    | *        | *             | *   | Ophiopogon japonicus (mondograss), and O. jaburan (snakebeard); evergreen groundcovers; variegated snakebeard often confised with variegated liriope   |  |  |
| Pachysandra       | 6-8"   |                    |                    | *        | *             |     | groundcover with evergreen foliage; several variegated varieties are available   |  |  |
| Phlox             | 1"-3'  | all                | SP/Su              | *        | *             | *   | Phlox paniculata (garden phlox) produces tall and showy flower stalks; <i>P. subulata</i> (moss phlox, thrift), groundcover and spring bloomer, heat- and drought-tolerant; <i>P. divaricata</i> (blue phlox) tolerates shade, and <i>P. carolina</i> 'Miss Lingard' is also available |  |  |
| Physostegia       | 1½-7'  | W,P,R              | Su                 |          | *             | *   | Some varieties are very vigorous   |  |  |
| Purple Coneflower | 3-5'   | L/P                | Su                 |          | *             | *   | drought-tolerant and attractive to butterflies   |  |  |
| Rudbeckia         | 2-3'   | Y,O,G              | Su/F               |          |               | *   | drought-tolerant and attractive to butterflies; easy to grow   |  |  |
| Salvia            | 1/2-5' | W,B,R,L            | Su/F               |          | *             | *   | Salvia farinacea (blue salvia), S. leucantha (Mexican sage), a tall, bushy, late-blooming purple species is cold tender in North Georgia; S. elegans (pineapple sage) has aromatic foliage; all salvias attract butterflies  |  |  |
| Santolina         | 1½'    |                    |                    |          |               | *   | Santolina chaemaecyparius (lavender cotton) and S. virens (green lavender cotton); aromatic foliage  |  |  |
| Sedum             | 1"-2'  | W,P,R              | SP/F               |          |               | *   | heat- and drought-tolerant; succulent foliage of many colors, chartreuse, purple, variegated, silver; flowers also attractive; most species are groundcovers   |  |  |
| Shasta Daisy      | 1-3'   | W                  | -Su/Su             |          | *             | *   | excellent cut flower   |  |  |
| St. John's Wort   | 6-12"  | Υ                  | Su                 |          | *             | *   | drought-tolerant; variegated form also available   |  |  |
| Stokesia          | 12-15" | В                  | Su                 |          |               | *   | easy to grow; heat- and drought-tolerant   |  |  |
| Sweet William     | 1-2'   | W,P,R,L            | SP+/-Su            |          |               | *   | fragrant blooms; declines in heat  |  |  |
| Thymus            | 3-6"   | B,L                | Su                 |          |               | *   | groundcover with aromatic foliage; white or gold-variegated varieties are available  |  |  |
| Verbena           | 6"     | W,B,L              | SP/F               |          |               | *   | Verbena canadensis, Rose verbena, and V. tenuisecta, Moss verbena; low-growing, spreading and floriferous; drought-tolerant and attractive to butterflies  |  |  |
| Veronica          | 1"-2'  | B,W                | Su                 |          | *             | *   | Veronica spicata, Speedwell, has varieties with height between 1' and 2'; V. repens is a very low-growing mat-forming type with evergreen foliage  |  |  |
| Vinca             | 3-6"   | B,W                | SP                 | *        | *             |     | Vinca minor (periwinkle), and V. major, evergreen groundcovers; V. minor is smaller, more compact  |  |  |

<sup>&</sup>lt;sup>1</sup> Color: G = gold, W = white, P = pink, Y = yellow, R = red, B = blue, O = orange, L = lavender, all = all colors, - = indicates absence of a single color, all others represented.

<sup>&</sup>lt;sup>2</sup> Bloom: SP = spring. Su = summer. F = fall. W = winter. - = early. + = late. / = range of bloom.

**Table 2.** Shrubs and small trees that lend themselves to container gardening; separated based on plant characteristics.

| Categories /         | Common         | Flower            | Fruit     |                      | Plant Size       |            |  |
|----------------------|----------------|-------------------|-----------|----------------------|------------------|------------|--|
| Species              | Name           | Color             | Color     | Exposure             | (W x H)          | Fall Color | Additional Notes                                       |
| Deciduous Shrubs     |                |                   |           |                      |                  |            |  |
| Deciduous Siliubs    |                | White to          |           |                      |                  | None to    |  |
| Abelia grandiflora   | Abelia         | Pink              | n/a       |                      | 3-6' x 3-6'      | crimson    | Many cultivars including variagated.                   |
| Abelia graffulliora  | Abelia         | TIIK              | 11/a      | Shade to             | 3-0 X 3-0        | CHILISOH   | Ivially cultivars including variagated.                |
| Berberis thunbergii  | Barberry       | Yellow            | Red       | Sun                  | 3-6' x 3-6'      | Crimson    | Thorny. Variety of leaf colors exist.                  |
| Berberio trianbergii | Barberry       | White to          | rted      | Ouri                 | 3-0 X 3-0        | CHIHOOH    | Thomy. Variety of leaf dolors exist.                   |
| Buddleia davidii     | Butterfly Bush | Purple            | n/a       | Sun                  | 4-12'            | n/a        | Cultivars vary widely in size.                         |
| Badarora davram      | Battorny Bach  | i dipio           | White or  | Shade to             | 2                | 11/4       | Cultivate vary widely in 6126.                         |
| Callicarpa spp.      | Beautyberry    | White             | Purple    | Part Sun             | 4-8' x 4-8'      | n/a        | Native. Wide variety of cultivars available.           |
| Edgeworthia          |                |                   | ·         |                      |                  |            | · ·  |
| papyrifera           | Paperbush      | White             | n/a       |                      | 5' x 5'          | None       | Blooms in late winter - early spring.                  |
| Hydrangea            | Bigleaf        | White to          |           |                      |                  |            | , , <u>, , , , , , , , , , , , , , , , , </u>          |
| macrophylla          | Hydrangea      | Blue              | n/a       | Shade                | 3-6' x 3-6'      | n/a        | Repeat blooming cultivars available.                   |
| Hydrangea            | PeeGee         |                   |           | Shade to             | 4-10' x          |            | Plant size varies by cultivar. Spent blooms attractive |
| paniculata           | Hydrangea      | White             | Tan       | Part Sun             | 4-10'            | n/a        | in winter.   |
| Hydrangea            | Oakleaf        |                   |           | Shade to             | 4-15' x          |            |  |
| quercifolia          | Hydrangea      | White             | Tan       | Part Sun             | 4-15'            | Crimson    | Great fall color. Dwarf cultivars available.           |
|                      |                |                   |           | Shade to             |                  |            |  |
| Itea virginica       | Sweetspire     | White             | n/a       | Sun                  | 5' x 5'          | Crimson    | Native. Great fall color.                              |
| Lagerstroemia x      |                | White to          |           |                      | 10-25' x         |            |  |
| indica               | Crapemyrtle    | Red               | n/a       |                      | 10-25'           | Red        | Smaller cultivars; some cultivars have purple leaves   |
|                      |                | White to          |           | Shade to             |                  |            |  |
| Spiraea spp.         | Spiraea        | Dark Pink         | n/a       | Sun                  | 3-6' x 3-6'      | n/a        | Cultivars vary in foliage and flower colors.           |
| Vaccinium            |                |                   | Purple-   | Shade to             |                  |            |  |
| arboreum             | Farkleberry    | White             | Black     | Part Sun             | 6' x 6'          | Crimson    | Native. Great berries persist after leaf drop.         |
|                      |                | 1                 |           |                      | 1                |            | _  |
| Deciduous Trees      |                |                   |           |                      | 0.451            |            |  |
|                      | L .            |                   | ,         |                      | 6-15' x          | N/ II      | N. c   |
| Aesculus sylvatica   | Buckeye        | Yellow            | n/a       |                      | 6-15'            | Yellow     | Native   |
| Baccharis            | Crounded       | luc mi            | m/-       |                      | 40151            | m/-        | Notice   |
| halimifolia          | Groundsel      | Ivory<br>White to | n/a       | Chada ta             | 12' x 5'         | n/a        | Native   |
| Cercis spp.          | Redbud         | Lavendar          | n/a       | Shade to<br>Part Sun | 6-25' x<br>4-25' | n/a        | Standard tree and weeping forms available.             |
| Chionanthus          | Iveapaa        | Lavenual          | II/a      | Sun to               | 4-20             | II/a       | Standard tree and weeping forms available.             |
| virginicus           | Fringetree     | White             | Dark Blue | Shade                | 20' x 20'        | Red        | Native. Excellent fall color.                          |
| virgiriicus          | i inigetiee    | Ivort to          | Daik Dide | Sun to               | 6-15' x          | i\cu       | Native. Excellent fall color.                          |
| Cotinus spp.         | Smoketree      | Pink              | n/a       | Shade                | 6-15'            | Yellow     | Native. Purple leaf cultivars available.               |
| Lagerstroemia x      | Cilionoliou    | White to          | 11/4      | Oridae               | 10-25' x         | 1011044    | Transfer a diplo local ocality allo dy allabio.        |
| indica               | Crapemyrtle    | Red               | n/a       |                      | 10-25'           | Red        | Larger cultivars; some cultivars have purple leaves    |

**Table 2.** Shrubs and small trees that lend themselves to container gardening; separated based on plant characteristics.

| Categories /         | Common        | Flower    | Fruit     |             | Plant Size   |            |  |
|----------------------|---------------|-----------|-----------|-------------|--------------|------------|--|
| Species              | Name          | Color     | Color     | Exposure    | (W x H)      | Fall Color | Additional Notes                                 |
| Evergreen            |               |           |           |             |              |            |  |
| Broadleaf Shrubs     |               |           |           |             |              |            |  |
|                      |               |           |           |             | 6-10' x      |            |  |
| Aucuba japonica      | Aucuba        | n/a       | Red       |             | 6-10'        | n/a        | Many foliage color patterns exist.               |
| Camellia japonica /  |               | White to  |           |             | 6-10' x      |            |  |
| C. sasanqua          | Camellia      | Red       | n/a       |             | 6-10'        | n/a        | Cultivars vary in size and flower color.         |
| Fatsia japonica      | Fatsia        | White     | n/a       |             | 6' x 6'      | n/a        | Blooms late fall - October to November.          |
| Gardenia             |               |           |           |             |              |            |  |
| 'Frostproof'         | Gardenia      | White     | n/a       |             | 6' x 4'      | n/a        | Most cold-hardy cultivar.                        |
| Ilex vomitoria 'Will |               |           |           |             |              |            |  |
| Fleming'             | Yaupon Holly  | White     | Red       |             | 10' x 4'     | n/a        | Very upright habit. Good for framing.            |
| Jasminum             | Winter        |           |           |             |              |            |  |
| nudiflorum           | Jasmine       | Yellow    | n/a       |             | 1' x 4-6'    | n/a        | Blooms in late winter.                           |
| Leucothoe axillaris  | Leucothoe     | White     | n/a       | shade       | 4' x 5'      | Red/Maroon | Some cultivars variegated.                       |
| Loropetalum          |               | White to  |           | Sun to Part | 2-25' x      |            |  |
| chinense             | Loropetalum   | Red       | n/a       | Shade       | 4-25'        | n/a        | Cultivars vary in size and red leaf forms exist. |
|                      |               |           |           | Sun to      |              |            |  |
| Nandina domestica    | Nandina       | White     | Red       | Shade       | 3'-6' x 3-4' | Red/Maroon | Wide variety of sizes exist.                     |
|                      |               | White to  |           | Shade to    |              |            |  |
| Rhododendron spp.    | Azalea        | Red       | n/a       | Part Sun    | 2-8' x 3-8'  | n/a        | Repeat blooming cultivars available.             |
|                      |               |           |           |             |              |            |  |
| Rosemarinus          |               | Pale to   |           | Sun to Part |              |            |  |
| officinalis          | Rosemary      | Dark Blue | n/a       | Shade       | 3-6' x 3-6'  | n/a        | Very fragrant - great for entrances.             |
|                      | Creeping      |           |           | Shade to    |              |            |  |
| Rubus pentalobus     | Raspberry     | n/a       | n/a       | Sun         | 6" x 5'      | Maroon     | Great "spiller".                                 |
|                      |               |           |           |             |              |            |  |
| Evergreen            |               |           |           |             |              |            |  |
| Broadleaf Trees      |               |           |           |             |              |            |  |
| Chipnanthys          | Chinese       |           |           | Sun to      |              | ,          |  |
| retusus              | Fringetree    | White     | Dark Blue | Shade       | 20' x 20'    | n/a        | Excellent small tree. Great bark!                |
|                      | Sweetbay      |           |           | Sun to      |              |            |  |
| Magnolia virginiana  | Magnolia      | White     | n/a       | Shade       | 12' x 6'     | n/a        | Can drop leaves in extreme cold.                 |
| Osmanthus            |               |           |           | Sun to      |              |            |  |
| fragrans             | Tea Olive     | Ivory     | n/a       | Shade       | 25' x 15'    | n/a        | Can heavily prune. Fragrant flowers.             |
| Trachycarpus         | [ <u>-</u> .  |           | Brown-    |             |              | ,          |  |
| fortunei             | Windmill Palm | lvory     | Purple    | Sun         | 6-15' x 4-6' | n/a        | Very cold-tolerant. Great texture.               |

**Table 2.** Shrubs and small trees that lend themselves to container gardening; separated based on plant characteristics.

| Categories /         | Common        | Flower | Fruit |             | Plant Size |            |  |
|----------------------|---------------|--------|-------|-------------|------------|------------|--|
| Species              | Name          | Color  | Color | Exposure    | (W x H)    | Fall Color | Additional Notes                           |
| Evergreen            |               |        |       |             |            |            |  |
| Conifers             |               |        |       |             |            |            |  |
|                      | Lemon         |        |       |             |            |            |  |
| Callistemon citrinus | Bottlebrush   | Red    | n/a   |             | 10' x 15'  | n/a        | Very tolerant of dry soils.                |
| Chamaecyparis        |               |        |       | Sun to Part | 3-20' x    |            |  |
| obtusa               | Falsecypress  | n/a    | n/a   | Shade       | 3-20'      | n/a        | Size and foliage color varies by cultivar. |
| Cupressus            | Italian       |        |       |             |            |            |  |
| sempervirens         | Cypress       | n/a    | n/a   |             | 20' x 5'   | n/a        | Very upright habit. Good for framing.      |
| Juniperus conferta   | Shore Juniper | n/a    | n/a   | Sun         | 1' x 5'    | n/a        | Great "spiller" plant.                     |
| Juniperus            | Creeping      |        |       |             |            |            |  |
| horizantalis         | Juniper       | n/a    | n/a   | Sun         | 1' x 5'    | n/a        | Great "spiller" plant.                     |
| Juniperus            | Rocky         |        |       |             |            |            |  |
| scopulorum           | Mountain      |        |       |             |            |            |  |
| 'Skyrocket'          | Jupiper       | n/a    | n/a   | Sun         | 15' x 2'   | n/a        | Very upright habit. Good for framing.      |